

Xerox® FreeFlow® Print Server Version 9 for the Xerox® Versant™ 2100 Press

Do more. With the FreeFlow Print Server.

More Quality – Supporting Ultra HD Resolution

This new version of the FreeFlow Print Server delivers amazing Ultra HD Resolution image quality for the first time ever. True 1200 x 1200 dpi resolution processing means crystal clear and crisp output. Combine HD output and industry certifications from PANTONE, GRACoL and Fogra with our extensive set of expert colour management controls and you have the power to reach new heights in the quality and consistency of your output.



More Productivity – With Workflow Automation

The FreeFlow Print Server is tightly integrated with extended workflow solutions from Xerox to add value to your operations beyond the printer. For example, the Xerox® IntegratedPLUS Colour Management solution can help automate your colour management processes and the Xerox® IntegratedPLUS Finishing Solution automates the programming and operation of your finishing equipment.

More Consistency – Via Industry Standards

The FreeFlow Print Server's dedication to supporting open industry standards is unrivaled. This version of the print server supports the latest standards including JDF/JMF, Adobe® PDF Print Engine® and Adobe PDF/VT.

More Power – From Advancing Technology

The same FreeFlow Print Server RIP technology that drives the high speed Xerox® CiPress® Production Inkjet System family in excess of 1,000 pages per minute is now available with the Versant 2100 Press. The FreeFlow Print Server's enhanced caching systems and new multipage RIP architecture deliver proven performance you can count on.

Xerox® FreeFlow® Print Server Version 9 for the Xerox® Versant™ 2100 Press

Hardware/Platform

- DELL™ PowerEdge™ T320 Tower Chassis
- Processor Type: Intel® Xeon® E5-2440 2.40 GHz, 15M Cache
- Hard Drive: 500 GB 7.2K RPM SATA
- Memory: 48 GB Memory (6 x 8 GB)
- Operating System: Solaris® 10 (Update 10)
- Ports: 8 x USB 2.0, 1 serial
- 10/100/1000 BaseT Ethernet Ports
- Display: 22" Wide Screen
- Optional X-Rite® i1 Spectrophotometer
- DVD-ROM/DVD-RW

Xerox® ConfidentColour Technology

- 1200 x 1200 dpi 8 bit rendering resolution
- Easy-to-expert colour management tools
- Supports the Versant Press Automated Colour Quality Suite (ACQS) of colour management and productivity tools
- ICC and DeviceLink workflow support
- Advanced Profiling – optimised profiling target (patent pending) provides High Accuracy Printer Model
- Rendering Intent Programming by colour space and object type
- Automated calibration and destination profiling with ACQS via the Full Width Array
- Automated calibration scheduling
- Optimised RGB and Spot Colour Emulation
- PANTONE licensed and spot-colour matching
- Key colour emulations such as GRACoL, SWOP, Euroscale, Fogra, Japan Colour
- Easy colour correction tools integrated with Tone Reproduction Curve (TRC) Editor
- In-RIP trapping, anti-aliasing, overprinting and selectable halftones
- Intuitive spot colour editor for spot colour matching
- Support of colour management callouts from AFP/IPDS data stream
- Absolute Rendering produces more accurate CGATS E results

Productivity and Workflow

- Parallel RIP technology delivers high speed performance
- Adobe® PDF Print Engine® 2.6 support
 - RGB to Black for Text/Graphics
 - Live Transparency
 - Adobe Common Rendering Engine
- Extensive job management capabilities at page, job and queue levels
- Preflight, preview and soft proof for job accuracy
- Hot folder drag-and-drop support for Windows, Macintosh, Linux and UNIX
- JDF job ticket support
- FreeFlow Remote Print Server for remote fleet management
- Page exception programming allows for last minute job changes at the server
- Layout/Imposition standard

Client and Remote Support

- Choice of print drivers
 - Support for Xerox® Global Print Driver®
 - Fully featured Xerox® Print drivers
 - Microsoft® Windows Win XP SP3 or later, Vista SP2, Server 2003 SP2, Server 2008, Server 2012, Windows 7, Windows 8, Windows 8.1
 - Apple® Macintosh® OS: 10.7–10.9
- Adobe PostScript® Printer Descriptions (PPD)/G
- HTTP and HTTPS browser submission support
- IPP for job submission and system status
- Support of IPv4 and IPv6 (dual mode supported)
- Native JDF/JMF support
- Single IP/port forwarding

Variable Data Printing

- Xerox® VIPP®, Line Mode, Database Mode, Native PPML v2.2 Graphic Arts
- PDF/VT support
- IPDS transactional data option
- Dynamic cache architecture
- Colour background form support

File Format Support

- Adobe PostScript Level 1, 2, 3
- Adobe Acrobat® 9.0, PDF 1.8, PDF/X 1a, 3, 4
- TIFF, PCL5c, PCL6XL, EPS, JPEG, PDF/VT

Network Environments/Protocols

- TCP/IP, IPP
- DHCP
- SNMP MIB II support for third-party administration tools

Security Features

- Four system security profiles
- Fully customisable user security profiles
 - Independently enable/disable protocols
 - Optional encryption algorithm settings
 - Enable/disable USB storage devices
 - Enable/disable CD/DVD writing
- Encrypted job submission modes
- Address access filtering
- Customised Access Control for job-management features (PCI and PII compliance)
- Strong password configuration and password expiration configuration
- SNMPv3 security configuration tool

Dimensions/Weight

- Print Server
 - Height: 471 mm
 - Width: 218 mm
 - Depth: 559 mm
 - Weight: 29 kg
- Optional Stand
 - Height: 973 mm
 - Width: 720 mm
 - Depth: 720 mm
- Power
 - Voltage: 6.5 A at 110 VAC and 3 A at 220 VAC
 - Power: 495 W

Regulatory Agency Approval

Meets or exceeds the following requirements:

- Safety – UL 1950, CSA C22.2 No. 950, TUV EN60950
- RFI/EMI – FCC Class A, DOC Class A, EN55022 Class A, EN61000-3-2
- Immunity – EN50082-1
- CE Mark

Includes Adobe PDF Normalizer
Includes Adobe PDFtoPS Library
Includes Adobe CPSI (previewer)
Includes Adobe PDF Print Engine
Includes Adobe PostScript 3017.102 OEM Source
Includes Adobe PostScript fonts
Includes Monotype® Imaging Fonts
Includes Adobe PDF Library
Includes Adobe Japanese Fonts

www.xerox.com